*Functional Ecology* 1991, 5, 825–834

# Author Index


Acra M., *see* Freckman D.W.

Aleksić I., *see* Tucić N.

Arillo A. & Melodia F.: Nitrite oxidation in *Eiseania foetida* (Savigny): ecological implications, 629

Ayres J.M., *see* Davies C.R.

Bale J.S.: Insects at low temperature: a predicatable relationship? 291

Ball M.C., Hodges S. & Laughlin G.P.: Cold-induced photoinhibition limits regeneration of snow gum at tree-line, 663

Barker K.R., *see* Freckman D.W.

Barnea A., Yom-Tov Y. & Friedman J.: Does ingestion by birds affect seed germination? 394

Bauwens D., *see* Van Damme R.

Berrigan D.: Lift production in the flesh fly, *Neobellieria* (=*Sarcophaga*) *bullata* Parker, 448

Billington H.L. & Pelham J.: Genetic variation in the date of budburst in Scottish birch populations: implications for climate change, 403

Black R.A., *see* Evans R.D.
*see also* Halvorson J.J.

Blackburn T.M.: Evidence for a 'fast–slow continuum' of life-history traits among parasitoid Hymenoptera, 65

Block B.A., *see* Mooney M.E.

Block W.: To freeze or not to freeze? Invertebrate survival of sub-zero temperatures, 284

Blom C.W.P.M., *see* van der Sman A.J.M.

Boeken B.: Above-ground emergence in the desert tulip *Tulipa systola* Stapf. in the Negev Desert of Israel, 705

Briggs M.A.: Influence of herbivory and nutrient availabiity on biomass, reproduction and chemical defences of *Lotus corniculatus* L., 780

Briske D.D., *see* Welker J.M.

Burquez A. & Corbet S.A.: Do flowers reabsorb nectar? 369

Burrows M.T. & Hughes R.N.: Optimal foraging decisions by dogwhelks, *Nucella lapillus* (L.): influences of mortality risk and rate-constrained digestion, 461

Caldow R.W.G. & Furness R.W.: The relationship between kleptoparasitism and plumage polymorphism in the arctic skua *Stercorarius parasiticus* (L.), 331

Caldwell M.M., Manwaring J.H. & Durham S.L.: The microscale distribution of neighbouring plant roots in fertile soil microsites, 765

Caldwell M.M., Manwaring J.H. & Jackson R.B.: Exploitation of phosphate from fertile soil microsites by three Great Basin perennials when in competition, 757

Campbell B.D., Grime J.P., MacKey J.M.L. & Jalili A.: The quest for a mechanistic understanding of resource competition in plant communities: the role of experiments, 241

Clarke A., Hopkins C.C.E. & Nilssen E.M.: Egg size and reproductive output in the deep-water prawn *Pandalus borealis* Krøyer, 1838, 724

Clarke B.C., *see* Nagy K.A.

Coleman D.C., *see* Freckman D.W.

Corbet S.A., *see* Burquez A.

Craig C.L.: Physical constraints on group foraging and social evolution: observations on web-spinning spiders, 649

Crawley M.J., *see* Rees M.

Davies C.R., Ayres J.M., Dye C. & Deane L.M.: Malaria infection rate of Amazonian primates increases with body weight and group size, 655

Deane L.M., *see* Davies C.R.

Diament A.D., *see* Woodward F.I.

Dick J.M., Jarvis P.G. & Leakey R.R.B.: Influence of male and female cones on needle $CO_2$ exchange rates of field-grown *Pinus contorta* Doug. trees, 422

Dickinson N.M., Turner A.P. & Lepp N.W.: How do trees and other long-lived plants survive in polluted environments? 5

Dickson K., *see* Gilbert F.S.

Dixon A.F.G., *see* Stewart L.A.

Drouillard D.L., *see* Graham J.H.

Dudley R.: Thermoregulation in unpalatable danaine butterflies, 503

Durham S.L., *see* Caldwell M.M.

Dye C., *see* Davies C.R.

Dyer M.I., *see* Freckman D.W.

Edwards P.B.: Seasonal variation in the dung of African grazing mammals, and its consequences for coprophagous insects, 617

Ehleringer J.R., *see* Flanagan L.B.

Eissenstat D.M., *see* Graham J.H.

Elmberg J.: Ovarian cyclicity and fecundity in boreal common frogs *Rana temporaria* L. along a climatic gradient, 340

Ernsting G. & Isaaks J.A.: Accelerated ageing: a cost of reproduction in the carabid beetle *Notiophilus biguttatus* F., 299

Evans A.S., *see* Winn A.A.

Evans P.R., *see* Scott I.

Evans R.D., Black R.A. & Link S.O.: Reproductive growth during drought in *Artemisia tridentata* Nutt, 676
Evennett P.J., *see* Shorrocks B.

Farquhar G., *see* Read J.
Feder M.E. & Block B.A.: On the future of animal physiological ecology, 136
Flanagan L.B. & Ehleringer J.R.: Stable isotope composition of stem and leaf water: applications to the study of plant water use, 270
Forbes V.E.: Response of *Hydrobia ventrosa* (Montagu) to environmental stress: effects of salinity fluctuations and cadmium exposure on growth, 642
Forseman A. & Lindell L.E.: Trade-off between growth and energy storage in male *Vipera berus* (L.) under different prey densities, 717
Franz E.H., *see* Halvorson J.J.
Freckman D.W., Barker K.R., Colemant D.C., Acra M., Dyer M.I., Strains B.R. & McNaughton S.J.: The use of the $^{11}C$ technique to measure plant responses to herbivorous soil nematodes, 810
Friday L.E.: The size and shape of traps of *Utricularia vulgaris* L., 602
Friedman J., *see* Barnea A.
Furness R.W., *see* Caldow R.W.G.

Gartner B.L.: Is the climbing habit of poison oak ecotypic? 696
Ghashghaie J., *see* Mordacq L.
Gilbert F.S., Haines N. & Dickson K.: Empty flowers, 29
Gliksman I., *see* Tucić N.
Grace J.: Physical and ecological evaluation of heterogeneity, 192
Grace J.B.: A clarification of the debate between Grime and Tilman, 583
Graham J.H., Eissenstat D.M. & Drouillard D.L.: On the relationship between a plant's mycorrhizal dependency and rate of vesicular-arbuscular mycorrhizal colonization, 773
Grant M., *see* Scott I.
Griffiths H.: Applications of stable isotope technology in physiological ecology, 254
Grime J.P., *see* Campbell B.D.

Haines N., *see* Gilbert F.S.
Halvorson J.J., Black R.A., Smith J.L. & Franz E.H.: Nitrogenase activity, growth and carbon and nitrogen allocation in wintergreen and deciduous lupin seedlings, 554
Hamilton R.G. & Lloyd R.M.: Antheridiogen in the wild: the development of fern gametophyte communities, 804
Hand D.W., *see* Hunt R.
Handley L.L., Scrimgeour C.M., Thornton S.F. & Sprent J.I.: Determination of the natural abundances of the stable isotopes of $^{15}N$ and $^{13}C$ by mass spectrometry: a simplified manual method for the preparation of $N_2$ and $CO_2$, 119
Hannah M.A., *see* Hunt R.
Harren F.J.M., *see* van der Sman A.J.M.
Hawkins A.J.S.: Protein turnover: a functional appraisal, 222
Hemptinne J.-L., *see* Stewart L.A.
Hickling G.J., *see* Millar J.S.
Hodges V.S., *see* Evans R.D.
Hopkins C.C.E., *see* Clarke A.
Hughes R.N., *see* Burrows M.T.
Humphreys M.O.: Genetic control of physiological response — a necessary relationship, 213
Huner N.P.A., *see* Öquist G.
Hunt R., Hand D.W., Hannah M.A. & Neal A.M.: Response to $CO_2$ enrichment of 27 herbaceous species, 410

Isaaks J.A., *see* Ernsting G.

Jackson R.B., *see* Caldwell M.M.
Jalili A., *see* Campbell B.D.
Jarvis P.G., *see* Dick, J.M.
de Jong T.J. & Klinkhamer P.G.L.: Early flowering in *Cynoglossum officinale* L.: constraint of adaptation? 750

Kaitala A.: Phenotypic plasticity in reproductive behaviour of waterstriders: trade-offs between reproduction and longevity during food stress, 12
King D.A.: Correlations between biomass allocation, relative growth rate and light environment in tropical forest saplings, 485
Klinkhamer P.G.L., *see* de Jong T.J.
Kohyama A.: A functional model describing sapling growth under a tropical forest canopy, 83
Körner Ch.: Some often overlooked plant characteristics as determinants of plant growth: a reconsideration, 162
Koteja P.: On the relation between basal and field metabolic rates in birds and mammals, 56
de Kroon H., Whigham D.F. & Watson M.A.: Developmental ecology of mayapple: effects of rhizome severing, fertilization and timing of shoot senescence, 360
Kuhn W., *see* Lucas P.W.

Laughlin G.P., *see* Ball M.C.
Lawton J.H.: From physiology to population dyna-

mics and communities, 155
Le Maitre D.C. & Midgley J.J.: Allometric relationships between leaf and inflorescence mass in genus, *Protea* (Proteaceae): an analysis of the exceptions to the rule, 476
Leakey R.R.B., *see* Dick J.M.
Lepp N.W., *see* Dickinson N.M.
Lighton J.R.B., *see* Nagy K.A.
Lindell L.E., *see* Forsman A.
Link S.O., *see* Evans R.D.
Lloyd R.M., *see* Hamilton R.G.
Lowrey T.K., *see* Lucas P.W.
Lucas P.W., Lowrey T.K., Pereira B.P., Sarafis V. & Kuhn W.: The ecology of *Mezzetia leptopoda* (Hk. f. et Thoms.) Oliv. (Annonaceae) seeds as viewed from a mechanical perspective, 545

MacKey J.M.L., *see* Campbell B.D.
McNaughton S.J., *see* Freckman D.W.
Manwaring J.H., *see* Caldwell M.M.
Marsters J., *see* Shorrocks B.
Melodia F., *see* Arillo A.
Midgley J.J., *see* Le Maitre D.C.
Milanović D., *see* Tucić N.
Millar J.S. & Hickling G.J.: Body size and the evolution of mammalian life histories, 588
Milošević M., *see* Tucić N.
Mitchell D., *see* Nagy K.A.
Mittelbach G.G., *see* Wainwright P.C.
Møller A.P.: Ectoparasite loads affect optimal clutch size in swallows, 351
Møller H., *see* Sibly R.M.
Mooney H.A.: Plant physiological ecology — determinants of progress, 127
Mordacq L., Ghashghaie J. & Saugier B.: A simple field method for measuring the gas exchange of small trees, 572

Nagy K.A., Clarke B.C., Seely M.K., Mitchell D. & Lighton J.R.B.: Water and energy balance in Namibian desert sand-dune lizards *Anglosaurus skoogi* (Andersson, 1916), 731
Neal A.M., *see* Hunt R.
Nilsson E.M., *see* Clarke A.

Öquist G. & Huner N.P.A.: Effects of cold acclimation on the susceptibility of photosynthesis to photoinhibition in Scots pine and in winter and spring cereals: a fluorescence analysis, 91
Osenberg C.W., *see* Wainwright P.C.

Parent M., *see* Shipley B.
Parsons P.A.: Can atmospheric pollution be monitored from the longevity of stress-sensitive behavioural mutants in *Drosophila*? 713
Pelham J., *see* Billington H.L.
Pereira B.P., *see* Lucas P.W.
Pleasants J.M.: Evidence for short-distance dispersal of pollinia in *Asclepias syriaca* L., 75
Pons T.L.: Induction of dark dormancy in seeds: its importance for the seed bank in the soil, 669
Press M.C., Smith S. & Stewart G.R.: Carbon acquisition and assimilation in parasitic plants, 278

Read J. & Farquhar G.: Comparative studies in *Nothofagus* (Fagaceae). I. Leaf carbon isotope discrimination, 684
Rees M. & Crawley M.J.: Do plant populations cycle? 580
Reuss J., *see* van der Sman A.J.M.
Richner H.: The growth dynamics of sexually dimorphic birds and Fisher's sex ratio theory: does sex-specific growth contribute to balanced sex ratios? 19
Ricklefs R.E.: Structures and transformations of life histories, 174
Rossiter M.C.: Maternal effects generate variation in life history: consequences of egg weight plasticity in the gypsy moth, 386

Sanderson S.L.: Functional stereotypy and feeding performance correlated in a trophic specialist, 795
Sarafis V., *see* Lucas P.W.
Saugier B., *see* Mordacq L.
Scott I., Grant M. & Evans P.R.: Estimation of fat-free mass of live birds: use of total body electrical conductivity (TOBEC) measurements in studies of single species in the field, 314
Scrimgeour C.M., *see* Handley L.L.
Seely M.K., *see* Nagy K.A.
Shine R.: Why do larger snakes eat larger prey items? 493
Shipley B. & Parent M.: Germination response of 64 wetland species in relation to seed size, minimum time to reproduction and seedling relative growth rate, 111
Shorrocks B., Marsters J., Ward I. & Evennett P.J.: The fractal dimension of lichens and the distribution of arthropod body lengths, 457
Sibly R.M.: The life-history approach to physiological ecology, 184
Sibly R.M., Smith R.H. & Møller H.: Evolutionary demography of a bruchid beetle. IV. Genetic trade-off, stabilizing selection and a model of optimal body size, 594
Silvertown J.: Modularity, reproductive thresholds and plant population dynamics, 577
Simkiss K. & Watkins B.: Differences in zinc

uptake between snails (*Helix aspersa* (Muller)) from metal- and bacteria-polluted sites, 787
van der Sman, Voesenek L.A.C.J., Blom C.W.P.M., Harren F.J.M. & Reuss J.: The role of ethylene in shoot elongation with respect to survival and seed output of flooded *Rumex maritimus* L. plants, 304
Smith J.L., *see* Halvorson J.J.
Smith P., Townsend M.G. & Smith R.H.: A cost of resistance in the brown rat? Reduced growth rate in warfarin-resistant lines, 441
Smith R.H., *see* Sibly R.M.
*see also* Smith P.
Smith S., *see* Press M.C.
Snaydon R.W.: The productivity of $C_3$ and $C_4$ plants: a re-assessment, 321
Sobrado M.A.: Cost–benefit relationships in deciduous and evergreen leaves of tropical dry forest species, 608
Sommer U.: A comparison of the Droop and the Monad models of nutrient limited growth applied to natural populations of phytoplankton, 535
Speakman J.R.: Why do insectivorous bats in Britain not fly in daylight more frequently? 518
Sprent J.I., *see* Handley L.L.
Stewart G.R., *see* Press M.C.
Stewart L.A., Hemptinne J.-L. & Dixon A.F.G.: Reproductive tactics of ladybird beetles: relationships between egg size, ovariole number and development time, 380
Strains B.R., *see* Freckman D.W.

Thornton S.F., *see* Handley L.L.
Townsend M.G., *see* Smith P.
Turner A.P., *see* Dickinson N.M.
Tucić N., Milošević M., Gliksman I., Milanović D. & Aleksić I.: The effects of larval density on genetic variation and covariation among life-history traits in the bean weevil (*Acanthoscelides obtectus* Say), 525

Urabe J.R. & Watanabe Y.: Effect of food concentration on the assimilation and production efficiencies of *Daphnia galeata* G.O. Sars (Crustacea: Cladocera), 635

Van Damme R., Bauwens D. & Verheyen R.F.: The thermal dependence of feeding behaviour, food consumption and gut passage time in the lizard *Lacerta vivipara* Jacquin, 507
Verheyen R.F., *see* Van Damme R.
Voesenek L.A.C.J., *see* van der Sman A.J.M.

Wainwright P.C., Osenberg C.W., & Mittelbach G.G.: Trophic polymorphism in the pumpkinseed sunfish (*Lepomis gibbosus* Linnaeus): effect of environment on ontogeny, 40
Wallin H.: Movement patterns and foraging tactics of a caterpillar hunter inhabiting alfalfa fields, 740
Ward I., *see* Shorrocks B.
Watanabe Y., *see* Urabe J.R.
Watkins B., *see* Simkiss K.
Watson M.A., *see* de Kroon H.
Watt W.B.: Biochemistry, physiological ecology, land population genetics — the mechanistic tools of evolutionary biology, 145
Weaver R.W., *see* Welker J.M.
Welker J.M., Briske D.D. & Weaver R.W.: Intraclonal nitrogen allocation in the bunchgrass *Schizachyrium scoparium* Hubb.: an assessment of the physiological individual, 433
Whigham D.F., *see* de Kroon H.
Wieser W.: Limitations of energy acquisition and energy use in small poikilotherms: evolutionary implications, 234
Winn A.A. & Evans A.S.: Variation among populations of *Prunella vulgaris* L. in plastic responses to light, 562
Witkowski E.T.F.: Growth and competition between seedlings of *Protea repens* (L.) and the alien invasive, *Acacia saligna* (Labill.) Wendl. in relation to nutrient availability, 101
Woodward F.I. & Diament A.D.: Functional approaches to predicting the ecological effects of global change, 202

Yom-Tov Y., *see* Barnea A.

# Subject Index

Abundance:
  natural, stable isotopes, N, C, 119
  prediction, 291
*Acacia saligna*, growth, 101
*Acanthoscelides obtectus*, *see* weevil, bean
Acclimation, cold, cereal, pine, 91
Adaptation:
  desert, 731
  protein turnover, 222
Adder, growth and energy storage, 717
Ageing, cost of reproduction, 299
Alfalfa, fields, beetle behaviour, 740
Allocation:
  biomass, saplings, 485
  carbon, 554, 676, 810
  energy, snake, 724
  model, 83, 174
  nitrogen, 433, 554
Allometry:
  *Lepomis gibbosus*, 40
  model, 83
  *Protea*, leaf and inflorescence mass, 476
*Angolosaurus skoogi*, *see* lizard
Annelida, nitrite oxidation, 629
Annonaceae, seeds, 545
Antheridiogen, development, gametophyte communities, 804
*Artemisia tridentata*, drought tolerance, 676
Arthropod, body length, 457
*Asclepias syriaca*, pollinia dispersal, 75
Assimilation:
  carbon, parasitic plants, 278
  food, daphnia, 635

Bacteria, metal concentration, 787
Balance, energy, lizard, 731
Bat, flight behaviour, 518
Beetle:
  bruchid, body size, genetics, 594
  carabid, reproduction cost, 299
  caterpillar hunting tactics, 740
  dung, 617
  ladybird, reproductive tactics, 380
Behaviour:
  feeding, lizard, 507
  flying times, 518
  host-seeking, mosquito, 655
Biochemistry, evolutionary biology, 145
Biodiversity, 136
Biology, evolutionary, 145
Biomass:
  allocation, saplings, 485
  influence of herbivory, 780
Birch, budburst, genetic variation, 403
Bird:
  growth dynamics, 19
  ingestion, seed germination, 403
  mass, live, estimation, 314
  metabolic rates, 56
Body:
  length, arthropod, 457
  size, mammalian evolution, 588
  weight, malarial infection, primates, 655
Breeding, energy reserves, 819
Budburst, birch, climate change, 403
Bulb, emergence, desert, 705
Bunchgrass, nitrogen allocation, 433
Butterfly, thermoregulation, 503

Cadmium, growth, *Hydrobia*, 642
*Callosobruchus maculatus*, evolutionary demography, 594
*Calosoma*, foraging tactics, 740
Camouflage, kleptoparasitism, skua, 331
Canopy, forest, sapling growth, 83
Carbon:
  allocation, 554, 676, 810
  assimilation:
    parasitic plants, 278
    tropical forest leaves, 608
  budget, daphnia, 635
  $C_3$ and $C_4$, 321
  dioxide, enrichment response, 410
  isotopes, natural abundance, 119
  *Nothofagus* isotope discrimination, 684
Catalase, earthworm metabolism, 629
Cereal, cold acclimation, 91
Climate:
  budburst, birch, 403
  change, prediction, 202, 291
  gradient, frog fecundity, 340
Cline, prawn, 724
Cold:
  acclimation, Scots pine, 91
  photoinhibition, 663
  survival, invertebrates, 284
Colonization, mycorrhizal, 773
Communities:
  physiological ecology, 155
  resource competition, 241

Competition:
  phosphate, perennials, 757
  resource, 241
  root, perennials, 765
  seedling, 101
  theory, 583
Conductivity, electrical, bird mass estimation, 314
Cones, pine, carbon dioxide exchange rates, 410
Control, genetic, physiology, 213
Coprophagy, African dung beetles, 617
Cost:
  benefit, tropical forest leaf fall, 608
  reproduction, carabid beetle, 299
  resistance to warfarin, rats, 441
Cyanogenic, glycosides, 780
Cyclicity, ovarian, frog, 340
*Cynoglossum officinale*, flowering, 750
Cyprinid, larvae metabolism, 234

*Daphnia galeata*, food and growth, 635
Decisions, foraging, dogwhelks, 461
Defence, chemical, *Lotus*, 780
Demography, evolutionary, beetle, 594
Density:
  larval, bean weevil, 525
  prey, snake, 717
Dependence:
  mycorrhizal, rate of colonization, 773
  thermal, lizard feeding, 507
Desert:
  lizard, energy balance, 731
  tulip, emergence, 705
Development:
  beetle, ladybird, 380
  ecology, mayapple, 360
  fern gametophyte communities, 804
  rate, beetle, 594
Digestion, rate-constrained, dogwhelk, 461
Dimensions, fractal, lichen, 457
Dimorphism, sex, bird, 19
Dispersal:
  pollen, milkweeds, 75
  pollinia, *Asclepias*, 75
Distribution:
  arthropod body lengths, 457
  roots, perennials, 765
Dogwhelk, foraging decisions, 461
Droop, model, phytoplankton growth, 535
*Drosophila*, pollution indicator, 713
Drought, tolerance, desert shrub, 676
Dune, sand, lizard, energy balance, 731
Dynamics:
  growth, bird, 19
  population, 155, 577

Ecology, physiological, 125
Ecotype, climbing habit, poison oak, 696
Ectoparasite load, swallow clutch size, 351
Egg, size:
  beetle, ladybird, 380
  gypsy moth, weight variation, 386
  prawn, 724
*Eisenia foetida*, nitrite metabolism, 629
Elongation, shoot, ethylene, 304
Energy:
  allocation, 174
  balance, lizard, 731
  reserves, breeding, 819
  storage, snake, 717
  use, poikilotherms, 234
Environment:
  ontogeny effects, 40
  polluted, tree survival, 5
Ethylene, shoot elongation, *Rumex*, 304
*Eucalyptus pauciflora*, cold photoinhibition, 663
Evolution:
  body size, mammals, 588
  poikilotherms, energy use, 234
  prawn reproduction, 724
  seed shell, *Mezzettia*, 545
  spider, social, 649
Evolutionary, biology, 145

Fecundity:
  beetle, bruchid, 594
  climatic gradient, frog, 340
Feeding:
  behaviour, lizard, 507
  performance, *Gomphosus varius*, 795
Fern, gametophyte development, 804
Fertilization, mayapple, 360
Fire, vegetation change, 202
Flowering, time, monocarpic perennials, 750
Flowers:
  empty, evolution, 29
  nectar reabsorption, 369
Fluorescence, analysis, 91
Flying, times, bat, 518
Food:
  concentration, daphnia, 635
  consumption, lizard, 1507
  stress, waterstrider, 12
Foraging:
  beetle tactics, 740
  decisions, dogwhelk, 461
  empty flowers, 29
  group, spider, 649
  snake, 493
  whelk, 461
Fractal, lichen dimensions, 457

Frog, fecundity, climatic gradient, 340
Functional:
  model, sapling growth, 83
  morphology, *Gomphosus varius*, 795

Gametophyte, development, 804
Gas exchange:
  measurement, small trees, 562
  pine cones and needles, 410
Genetic:
  control, physiology, 213
  population, 145, 155, 403
  variation, bean weevil, 525
Germination:
  induction, dark dormancy, 669
  mechanics, seed predation, 545
  seed, bird ingestion, 403
  wetland species, 111
Growth:
  carbon dioxide enrichment, 410
  dynamics, bird sex dimorphism, 19
  efficency, daphnia, 635
  form, climbing, poison oak, 696
  *Hydrobia*, 642
  lupin seedlings, 554
  model, 83, 192
  rat, warfarin, resistance, 441
  reproductive during drought, 676
  root, mycorrhizal dependency, 773
  sapling, tropical, 485
  seedling, 101
  trade-off with energy storage, snake, 717
  wintergreen seedlings, 554

Herbivory:
  *Lotus*, 780
  root, 810
Heterogeneity, ecological, evaluation, 192
*Hydrobia ventrosa*, growth, 642
Hymenoptera, parasitoid, life-history traits, 65

Impala, dung, seasonal variation, 617
Inflorescence:
  growth during drought, 676
  mass, allometry, 476
Ingestion, bird, seed germination, 403
Insect:
  flight performance, 48
  low temperature survival, 291
Invertebrate, survival, sub-zero temperatures, 284
Isotope:
  abundance natural, 119
  technology in physiological ecology, 254
  waters composition, 270

Kleptoparasitism, plumage polymorphism, skua, 331

*Lacerta vivipara*, *see* lizard
Leaf:
  allometry, 476
  gas exchange:
    pine, 410
    tropical forest, 608
*Lepomis gibbosus*, *see* sunfish
Lichen, fractal dimension, 457
Life history:
  beetle, bruchid, 594
  genetic variation, bean weevil, 525
  gypsy moth variation, 386
  mammal body size evolution, 588
  theory, 184
  traits, parasitoid Hymenoptera, 65
  transformations, 174
Light:
  plastic response, *Prunella vulgaris*, 562
  sapling growth, 485
  seed dormancy, 669
Lizard:
  feeding behaviour, 507
  water and energy balance, 731
Longevity:
  *Drosophila*, pollution indicator, 713
  waterstrider, 12
Lupin, seedling metabolism, 554

Malaria, monkey infection, 655
Mammal:
  body size evolution, 588
  metabolic rate, 56
Maternal, variation, life-history, gypsy moth, 386
Mayapple, developmental ecology, 360
Measurement:
  fat-free bird mass, 314
  gas exchange, small trees, 572
Metabolism:
  birds and mammals, 56
  nitrogen, *Eisenia*, 629
  rates, 155
  regulation, 222
Metal, pollution, snail uptake, 787
*Mezzettia leptopoda*, seed structure, 545
Microsites:
  phosphate, perennials, 757
  root distribution, 765
Model:
  heterogeneity, 192
  nutrient limited growth, 535
  sapling growth, 83
Modularity, plant population dynamics, 577

Monad model, plankton growth, 535
Monkey, malarial infection rate, 655
Morphological specialization, feeding, fish, 795
Mortality, risk, dogwhelk, 461
Mosquito, malaria, primate infection, 655
Moth, gypsy, life-history variation, 386
Movement, patterns, beetle, 740
Mycorrhiza, vesicular-arbuscular colonization, 773

Nectar:
  empty flowers, 29
  reabsorption, 369
Nematode, plant response, 810
*Neobellaria bullata*, flight, 448
Nitrate, metabolism, earthworm, 629
Nitrite, metabolism, earthworm, 629
Nitrogen:
  allocation, 433, 554
  isotopes, natural abundance, 119
  use, efficiency, tropical forest, 608
Nitrogenase, activity, seedlings, 554
*Notiophilus biguttatus*, *see* beetle
*Nothofagus*, rain forest biogeography, 684
*Nucella lapillus*, *see* dogwhelk
Nutrient, availability:
  *Lotus*, 780
  *Protea*, 101

Oak, poison, climbing habit, 696
Ontogeny:
  environmental effects, 40
  locomotor ability, fly, 448
Output, reproductive, prawn, 724
Ovarian, cyclicity, frog, climatic gradient, 340

*Pandalus borealis*, *see* prawn
Parasite, swallows, 331
Parasitic, plants, carbon assimilation, 278
Parasitoid, Hymenoptera, life-history traits, 65
Partitioning, dry matter, 162
Patterns:
  movement, beetle, 740
  spatial, perennials, 765
Perennials:
  monocarpic, early flowering, 750
  phosphate exploitation, 757
Performance, feeding, fish, 795
Phenotype:
  climbing habit, poison oak, 696
  physiological response, 213
  plasticity, waterstrider, 12
Phosphate, exploitation, perennials, 757
Photoinhibition:
  cold, *Eucalyptus*, 663
  Scots pine, 91
Photosynthesis:
  inhibition, Scots pine, 91
  measurement, small trees, 572
  plant growth, 162
Physiological, ecology, 125
Pytochrome, seed dormancy, 669
Phytophages, nematodes, 810
Phytoplankton, population, model application, 535
Pine:
  gas exchange, 410
  photoinhibition, 91
*Pinus* spp., *see* pine
*Plasmodium brasilianum*, primate infection, 655
Plasticity:
  egg weight, gypsy moth, 386
  phenotypic, waterstrider, 12
Plumage, polymorphism, 331
Poikilotherms, energy use, 234
Pollination, early, *Cynoglossum*, 750
Pollinia, dispersal, *Asclepias*, 75
Pollution:
  metals, snail uptake, 787
  monitor, *Drosophila*, 713
  tree survival, 5
Polymorphism:
  plumage, 331
  trophic, sunfish, 40
Population:
  cycles, plants, 580
  dynamics, plant, 577
  genetics, 145, 403
  phytoplankton, model application, 535
  variation, *Prunella vulgaris*, 562
Prawn, egg size, 724
Prey:
  capture, 795
  density, snake, 717
  size, 493
Productivity, $C_3$ and $C_4$ plants, 321
*Protea* spp.:
  leaf, inflorescence allometry, 476
  seedling competition, 101
Protein, turnover, 222
*Prunella vulgaris*, population variation, 562

Rainfall, emergence desert tulip, 705
*Rana temporaria*, *see* frog
Rat, cost of resistance to warfarin, 441
Ratio, sex, bird dimorphism, 19
Regeneration, cold limitation, *Eucalyptus*, 663
Reproduction:
  behaviour, waterstrider, 12
  cost, ageing, 299

growth during drought, 676
*Lotus*, 780
output, prawn, 724
tactics, ladybird beetle, 380
thresholds, plant population dynamics, 577
wetland species, 111
Reserves, energy, breeding, 819
Resistance, warfarin, rat, 441
Resource:
allocation, desert shrub, 676
competition, 241, 583
Respiration, plant growth, 162
Response, physiological, genetic control, 213
Rhizome, mayapple, 360
Risk, mortality, dogwhelk, 451
Root:
development, desert tulip, 705
distribution, perennials, 765
growth, mycorrhizal colonization, 773
herbivory, nematode, 810
*Rumex maritimus*, flood survival, 304

Salinity, *Hydrobia* growth, 642
Sapling:
growth model, 83
tropical, growth, 485
*Sarcophaga*, *see Neobellieria*
*Schizachyrium scoparium*, *see* bunchgrass
Scots pine, susceptibility to photoinhibition, 91
Seed:
bank, dormancy, 669
germination, bird ingestion, 403
mechanics, *Mezzettia*, 545
output, *Rumex*, 304
size, germination, wetland species, 111
Seedling:
competition, *Protea*, 101
growth, wetlands, 111
metabolism, 554
Senescence, shoot, mayapple, 360
Sex, dimorphism, bird growth dynamics, 19
Shoot:
elongation, *Rumex*, 304
senescence, mayapple, 360
Size:
body, optimal, bruchid beetle, 594
clutch, swallow, ectoparasite load, 351
egg, prawn, 724
seed, germination, wetland species, 111
sleeping group, primates, 655
trap, bladderwort, 602
Skua, arctic, kleptoparasitism, 331
Snails, zinc uptake, 787
Snake, prey size, 493
Social, evolution, spider, 649
Soil, nematodes, 810
Spectrometry, mass, isotope determination, 119
Spider, social evolution, 649
*Stercorarius parasiticus*, *see* skua, arctic
Stereotype, feeding behaviour, 795
Storage, energy, snake, 717
Strategy, evolutionary, empty flowers, 29
Stress:
cold, *Eucalyptus* tolerance, 663
competition, 583
food, waterstrider, 12
Sunfish, trophic polymorphism, 40
Survival:
desert, lizard, 731
flooding, *Rumex*, 304
invertebrates, sub-zero temperatures, 284
tree, polluted environment, 5
Swallow, clutch size, ectoparasite load, 351
Symmorphosis, 174, 184

Tactics:
foraging, beetle, 740
reproductive, ladybird beetle, 380
Technology:
isotope, 254
physiological ecology, 127
Temperature:
dependent feeding behaviour, lizard, 507
dormancy, seedbank, 669
low, insect survival, 291
sub-zero, invertebrate survival, 284
Thermoregulation, butterflies, 503
Tolerance:
cold, *Eucalyptus*, 663
freezing, invertebrates, 284
Tools mechanistic, evolutionary biology, 145
Trade-off:
genetic, bruchid beetle, 594
growth–energy storage, snake, 717
reproduction–longevity, waterstrider, 12
Trap, size, bladderwort, 602
Traits, life-history, parasitoid Hymenoptera, 65
Tree, survival, polluted environment, 5
Trophic:
polymorphism, sunfish, 40
specialist, fish, 795
*Tulipa systola*, emergence, 705
Turnover, protein, 222

*Utricularia vulgaris*, trap size, shape, 602
Variation:
genetic, 213, 403
life-history, gypsy moth, 386
populations, *Prunella vulgaris*, 562
Versatility, feeding, fish, 795

*Vipera berus*, *see* adder

Warfarin, resistance, rat, 441
Water:
  balance, lizard, 731
  desert shrub, 676
  isotope composition, 270
  relations, parasitic plants, 278
  use efficiency, *Nothofagus*, 684
Waterstrider, behaviour, reproductive, 12
Weevil, bean, density, genetic variation, 525
Weight, plasticity, egg, gypsy moth, 386
Wetland, germination, growth, 111
Wildebeest, dung, seasonal variation, 617
Wintergreen, seedling metabolism, 544

Zebra, dung, seasonal variation, 617
Zinc, uptake, snails, 787
Zooplankton, daphnia growth, 635